





LEGEND

-  RAIN GARDEN SOIL MIX
-  WOOD CHIP MULCH
-  EXISTING NATIVE SOIL



RAIN GARDEN ADJACENT TO SIDEWALK OR DRIVEWAY
NTS

NOTES

1. TRANSITION ZONE
 - a. 1-INCH GRADE CHANGE FROM EDGE OF SIDEWALK, CURB AND/OR OTHER HARD SURFACE.
 - b. 2% MAX. SLOPE.
 - c. TRANSITION SHALL BE A MINIMUM 18" AND INCLUDED T5.13 AMENDED SOILS PER BMP OR PER NOTE 3.
2. INSTALL 3-INCHES WOODCHIP MULCH OR AS SPECIFIED ON PLANS.
3. FREEBOARD SHALL BE A MINIMUM OF 6 INCHES. ROADWAY/SIDEWALK ELEVATION MUST BE HIGHER THAN TOP OF FREEBOARD.
4. DO NOT COMPACT THE RAIN GARDEN SOIL MIX.
 - a. DO NOT OPERATE HEAVY EQUIPMENT WITHIN THE RAIN GARDEN.
 - b. DO NOT PLACE OR AMEND RAIN GARDEN SOIL WHEN THE GROUND IS FROZEN OR WHEN THE SOIL IS EXCESSIVELY WET.
5. FOR RAIN GARDENS WITHOUT BERMS, CONTINUE MULCH FOR A MINIMUM OF 2- FEET PAST THE TOP OF BANK ELEVATION OR INSTALL LANDSCAPE EDGING.
6. MAXIMUM SIDE SLOPE (2:1 OR 3:1) VARIES PER DESIGN.
7. RAIN GARDEN SIGN SHALL BE INSTALLED PER DETAIL 02.06.06.
8. TOP OF BANK SHALL BE A MINIMUM OF 18" FROM RIGHT OF WAY OR UTILITY EASEMENT LINE.



CITY OF PUYALLUP
OFFICE
of
THE CITY ENGINEER

RAIN GARDEN SECTION

DRAWN BY V STOCKMAN	CHECKED BY TED HILL	APPROVED BY MARK PALMER	REVISED BY X	DATE REVISED: XXXXXX XXXXXX XXXXXX	CITY STANDARD
FILE NAME F:\DWG\COMMON\STD\SD\CITY\STD\SD\02.06\02.06.01			DATE APPROVED 02/24/2017	SCALE NTS	02.06.01

DATE SEALED: 3/16/17